uo	Locati				:uim	Production/Adi
- 09	OK) Fevel	jnəmqide ii)	of receiver	sleitinl		
			:			
					9	
Comments	Quantity Short	Quantity Returned	Quantity Received	Quantity Ordered	Describtion	Part Number
A/N	HO/11 XM ON 1 S ON 5 S	No:	HoteB	SON A	Cash Ct Vo	Supported Sings:  Packing Slip:  Invegre:  Receipt:
•		ju c	ying Rep	/ieoeЯ		

# **Purchase Order Receipt Listing**

Monday, July 04, 2011 8:39:08 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO14336 Receipt Dates from 7/4/2011 to 7/4/2011 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

	USD	VendorID\Vendor Name PO14336 1	Purchase Order ID/ Curr Type
	N <sub>o</sub>	ndor Nar I	Line Nbr/ Insp Req
		VU-F	Project ID
118201	7075-T73 Bar 4.0 x 4.0	VU-FUT001 Future Alloys M7075T73B4,000x4. f	Reference/ Description/ Cert Std
	*****	Alloys	PO U/M / Stock U/M
	12.1255	7/4/2011	Required Date Required Qty
	DESJ02	7/4/2011	Recv Date/ Recv Emp
		12.1255	Recy Qty (PO U/M)
Total Total	\$1,487.60	\$122.68	Cost Per Unit/ Recy Value
Total Received Quantity: Total Qty to Inspect (PO U/M): Total Reject Quantity: Total Receipt Value: Total Balance Due Quantity:	0.0000	0.0000	Inspected Qty/ Rejected Qty (PO U/M)
uantity: O U/M): uantity: t Value: uantity:	0	. 0	MRB Qty/ MRB Reject Qty
12.1255 0.0000 0.0000 \$1,487.60 0.0000		\$1,487.60	Book Amt

# **FUTURE ALLOYS, INC.**

20151 Bahama Street, Chatsworth, CA 91311-818-701-1144-FAX 818-701-6182

THEOREMO 30155

与周门

TOT THE

短视器 机和维护原子 负流管 amanast uzz

MONTH OF KALIKT CATADA

HIT HOLD IN A WOLD BY A MORE OF MARK INTERNATIONAL

ទាធី ទូ

SELON

图图图形图 四十四层弧

MANAM

STATE DEPOSE &

tagis as regarding no snothbrod and units and of residing 1914 SAOHOS IMME MAMA 1914 SQP M.

SHIPPER

\*\*\*bO KEbBINL\*\*\*

Purchase Order ID PO14336

Purchase Order Date 6/21/2011

Fax: 613 632 1053 Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street Dart Aerospace Ltd.



PO Print Date 6/24/2011

Page Number 1 of 1

20151 BAHAMA STREET FUTURE ALLOYS Order From: 100TU3-UV

DART AEROSPACE LTD

ST07-027-008

**YSN** CHATSWORTH, CA 91311

Vendor Fax Vendor Phone

Contact Name

Line Nbr Reference

2819-107-818

Vendor Account Nbr

: oT qid2

1570 ABERDEEN

**EOB** 

Currency

Tax Resale Nbr

Requisition Nbr

Terms

Buyer

:lstoT Oq

CANADA HYMKEZBURY, ON K6A 1K7

7075-T73 Bar 4.0 x 4.0

OI giM Description/ Vendor Part Number **GI** noisivaA

M7075T73B4.000x4.000

\$125.4433

CERNIST

Unit Price

90.122,18

90.122,18

Price

Extended

12.13 FedEx Pi collect

Ship Method

Destination-Collect

**N2D** 

0£ 19N

10127-2607

Chantal Layoie

Req. Qty/

Unit of Measure

χes

1107/7/11

Taxable

Red Date/

AAB 11257T/01257T/57T MATERIAL: 7075-

Special Inst:

**OR AMS 4078** OR AMS 4124 OR AMS-QQ-A-250/12 6/S77-V-00

AS PER AMS-QQ-A-200/11 OR AMS-

NOTE: GRAIN DIRECTION MUST

KNN YFONG 4" NIDE

ВЕСІД ПЬОИ ДЕГІЛЕВА MATERIAL CERTIFICATION

consent. No substitution or deviation without

Certification required when applicable Certificate of Conformity or Material 1107/77/9

Change Date:

Change Nbr:

SOLD TO: Phone: (800) 367-2586 Trentwood Works - Spokane, WA 99215 MUNIMUA :OT 9IHS

CUSTOMER PART NUMBER:

# CERTIFIED TEST REPORT

4222119 Serial Number

SHIP RUN/LOAD: GOVT CONTRACT NUMBER:

LENGTH: 144.500 IN	DIAMETERMIDTH: 48.500 IN	1	4,0000 IN		20314	2 PCS EST	9706 LB WEIGHT SHIPPED:
:NOITe	PRODUCT DESCRIP Sawed Plate	TEMPER:	BARE CLAD:	3707 84107:	STAG 91H8		1111953
	1020	<del> </del>				PO0010538WC	

### Certified Specifications

GSS16100/RevG/Amd1 CSTI 006/RevD BAC 5439/RevH 86v9A\4212-GT2-2MA

**BV9A\f0fg 29MAD** CMMP 025/RevT 30v9A\468 8 MT2A 21/032-A-DO-2MA

PS 21211/RevK NveR/631 SMM HAVBRIT.A 290 AveR/2507 228 **70v9R/60S 8 MT2A** HV9R\8Y04 2MA

**MORK PACKAGE:** 

Test Results

£ togni Drop 34 Cast 374 Lot: 537189A3

(EN 2002-1) (VSSB/85 MTSA)

Test Code: 4297

PO0010538WC

CUSTOMER PO NUMBER:

3.01:4.01 1.53: 6.03 % noisegnol3 Yield KSI (MPA) Ultimate KSI (MPA)

£0.0

IT

1.38: 4.88

LT / 2 (Min:Max) Dir / # Tests

Temper :elianeT

(998: 198)

(644: 754)

2,4

WG

42.3 Min

17351

10.0

٨

XBM 2.54

61.0

RD

: (M/SW) Conductivity %IACS:

(EN 2004-1) (ASTM E1004)

24.5 Min

40.0

NW

3.1

Cn

(ASTM E1251)

ЬE

02.0

IS

11.0

Actual Chemistry:

16450009

7,3

NZ

XBM 7.42

06120008

TRACER =

Page 1 of 2

Charles Tele

TOT

A2U ni betleM

10.0

ΗZ

80.0

**H3HTO** 

## CERTIFIED TEST REPORT

4222119 Serial Number



Trentwood Works - Spokane, WW 99215

Phone: (800) 367-2586

A2U ni betleM

4 togni

Drop 11

Cast 374

(V358/83 MT2A)

Lot: 539457A2

(EN 2005-1)

:elizneT

17351

(ASTM E1004)

(xsM:niM) S \ TJ

Dir / # Tests

Conductivity %IACS: (EN 2004-1)

niM 8.04

(420:483)

0.07: 2.88

Ultimate KSI (MPA)

23.5 Min

: (W/SW)

0.2

2,1

กว

3. t

CO

IS

Chemistry:

(ASTM E1251)

41.0 01.0

Actual

IS

03.0

00.0

34

FE

9404

04.0 00.0 XAM NIW

6'7

1.2

We

7.2

WG

### **TEST NOTES**

rebrisme# munimulA

STIMIL YOULA

82.0

81.0

R

61.0

CB

on this test report. and Class B requirements of all specifications referenced A sasiO edf steem bas elde and most bestet ylissingsatiu Metal represented by this test report was immersion

05.0

00.0

NW

40.0

NW

TRACER \* 06LS000S TRACER \*

90.0

10.0

ЯZ

8.01: 2.01

% noisegnol3

0.00 EACH

RE OTHER

80.0

00.0

10.0

02.0

00.0

20.0

IT

ш

į 19

1.8

ΝZ

Ţ. ē NZ

**XBM 8.52** 

XSM O. 14

(868: 788)

7.73:8.13

Yield KSI (MPA)

91.0

80.0

XAM

50.0

**A3HTO** 

LOL

TOT

### CERTIFICATION

KAISER ALUMINUM FABRICATED PRODUCTS, LLC (KAISER) HEREBY CERTIFIES THAT METAL SHIPPED UNDER THIS ORDER WAS MELTED IN THE UNITED STATES OF AMERICA, AND MEETS THE RECUIREMENTS OF THE WRITTEN APPROVAL OF KAISER STANDARD GENERAL TREME STANDARD CHARGAL, THIS MATERIAL HAS BEICH INSPECTION IN COMPORANCE WITH A THE RECUIREMENTS TO THAT SHOWN ON KAISER STANDARD GENERAL TREME SPCIPLOALES STANDARD GENERAL TREME OF THE TREME STANDARD STANDARD GENERAL TREME SOMPLES WITH AND SAYS. ANY WARRANTY IS LIMITED TO THAT SHOWN ON KAISER SLUMINUM FABRICATED PRODUCTS, LLC LASORATORY. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OF SALL MINIOUS AS SAYS. ANY WARRANTY IS LIMITED TO SAY WARRANTY IS LIMITED TO SAY WARRANTY IS LIMITED.

Page 2 of 2

BILL POYNOR, LABORATORIES SUPERVISOR